Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 2 of 17

## Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

## **Listing of Claims**:

1. (Currently amended) A compound of formula (I) or a pharmaceutically acceptable salt thereof:

in which:

X is halogen, cyano, nitro,  $S(O)_n R^6$  (wherein n is 0, 1 or 2) or  $C_{1-4}$ alkyl which is substituted by one or more halogen atoms;

Y is selected from hydrogen, halogen, CN, nitro,  $SO_2R^3$ ,  $OR^4$ ,  $SR^4$ ,  $SOR^3$ ,  $SO_2NR^4R^5$ ,  $CONR^4R^5$ ,  $NR^6SO_2R^3$ ,  $NR^6CO_2R^6$ ,  $NR^6COR^3$ ,  $C_2$ - $C_6$ -alkenyl,  $C_2$ - $C_6$ -alkynyl,  $C_3$ - $C_7$ -cycloalkyl- or  $C_{1-6}$ alkyl, the latter four groups being optionally substituted by one or more substituents independently selected from halogen,  $OR^6$ - and  $NR^6R^7$ ,  $S(O)_nR^6$ ; n is 0, 1 or 2;

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 3 of 17

Z is phenyl or naphthyl aryl or a ring A, where A is a six membered heterocyclic aromatic ring containing one or more nitrogen atoms or may be a 6,6 or 6,5 fused bicycle containing one or more O, N, S atoms, the aryl or A rings all being optionally each of which is substituted by one or more substituents independently selected from from hydrogen, halogen, CN, OH, SH, nitro, COR<sup>9</sup>, CO<sub>2</sub>R<sup>6</sup>, SO<sub>2</sub>R<sup>9</sup>, OR<sup>9</sup>, SR<sup>9</sup>, SOR<sup>9</sup>, SO<sub>2</sub>NR<sup>10</sup>R<sup>11</sup>, CONR<sup>10</sup>R<sup>11</sup>, NR<sup>10</sup>R<sup>11</sup>, NHSO<sub>2</sub>R<sup>9</sup>, NR<sup>9</sup>SO<sub>2</sub>R<sup>9</sup>, NR<sup>6</sup>CO<sub>2</sub>R<sup>6</sup>, NHCOR<sup>9</sup>, NR<sup>9</sup>COR<sup>9</sup>, NR<sup>6</sup>CONR<sup>4</sup>R<sup>5</sup>, NR<sup>6</sup>SO<sub>2</sub>NR<sup>4</sup>R<sup>5</sup>, aryl, heteroaryl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl or C<sub>1-6</sub>alkyl, the latter four groups being optionally substituted by one or more substituents independently selected from halogen, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, OR<sup>6</sup>, NR<sup>6</sup>R<sup>7</sup>, S(O)<sub>n</sub>R<sup>6</sup> (wherein n is 0, 1 or 2), CONR<sup>6</sup>R<sup>7</sup>, NR<sup>6</sup>COR<sup>7</sup>, SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup> and NR<sup>6</sup>SO<sub>2</sub>R<sup>7</sup>[[.]];

R<sup>1</sup> and R<sup>2</sup> independently represent a hydrogen atom, halogen, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl or a C<sub>1-6</sub>alkyl group, the latter four groups being optionally substituted by one or more substituents independently selected from halogen, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, NR<sup>6</sup>R<sup>7</sup>, OR<sup>6</sup>, S(O)<sub>n</sub>R<sup>6</sup> (wherein n is 0, 1 or 2);

or

R<sup>1</sup> and R<sup>2</sup> together can form a 3-8 membered ring optionally containing one or more atoms selected from O, S, NR<sup>6</sup> and itself optionally substituted by one or more C<sub>1</sub>-C<sub>3</sub> alkyl or halogen;

 $R^3$  represents  $C_3$ - $C_7$  cycloalkyl or  $C_{1-6}$ alkyl which may be optionally substituted by one or more substituents independently selected from halogen,  $C_3$ - $C_7$  cycloalkyl,  $OR^6$  and  $NR^6R^7$ ,  $S(O)_nR^6$  (wherein n is 0, 1 or 2),  $CONR^6R^7$ ,  $NR^6COR^7$ ,  $SO_2NR^6R^7$  and  $NR^6SO_2R^7$ ;

R<sup>4</sup> and R<sup>5</sup> independently represent hydrogen, C<sub>3</sub>-C<sub>7</sub> cycloalkyl or C<sub>1-6</sub>alkyl, the latter two groups being optionally substituted by one or more substituents independently selected from halogen,

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 4 of 17

C<sub>3</sub>-C<sub>7</sub> cycloalkyl, OR<sup>6</sup> and NR<sup>6</sup>R<sup>7</sup>, S(O)<sub>n</sub>R<sup>6</sup> (wherein n is 0, 1 or 2), CONR<sup>6</sup>R<sup>7</sup>, NR<sup>6</sup>COR<sup>7</sup>, SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup> and NR<sup>6</sup>SO<sub>2</sub>R<sup>7</sup>;

or

R<sup>4</sup> and R<sup>5</sup> together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocylic ring optionally containing one or more atoms selected from O, S(O)<sub>n</sub> (wherein n is 0, 1 or 2), NR<sup>8</sup>, and itself optionally substituted by halogen or C<sub>1-3</sub> alkyl;

R<sup>6</sup> and R<sup>7</sup> independently represents a hydrogen atom or C<sub>1</sub>-C<sub>6</sub> alkyl;

R<sup>8</sup> is hydrogen, C<sub>1</sub>-4 alkyl, -COC<sub>1</sub>-C<sub>4</sub> alkyl, CO<sub>2</sub>C<sub>1</sub>-C<sub>4</sub>alkyl or CONR<sup>6</sup>C<sub>1</sub>-C<sub>4</sub>alkyl;

R<sup>9</sup> represents aryl, heteroaryl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl or C<sub>1-6</sub>alkyl, the latter two groups may be optionally substituted by one or more substituents independently selected from halogen, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aryl, heteroaryl OR<sup>6</sup> and NR<sup>6</sup>R<sup>7</sup>, S(O)<sub>n</sub>R<sup>6</sup> (wherein n is 0, 1 or 2), CONR<sup>6</sup>R<sup>7</sup>, NR<sup>6</sup>COR<sup>7</sup>, SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup> and NR<sup>6</sup>SO<sub>2</sub>R<sup>7</sup>;

 $R^{10}$  and  $R^{11}$  independently represent aryl or heteroaryl, hydrogen,  $C_3$ - $C_7$  cycloalkyl or  $C_{1-6}$ alkyl, the latter two groups being optionally substituted by one or more substituents independently selected from halogen,  $C_3$ - $C_7$  cycloalkyl, aryl, heteroaryl,  $OR^6$  and  $NR^6R^7$ ,  $S(O)_nR^6$  (wherein n is 0, 1 or 2),  $CONR^6R^7$ ,  $NR^6COR^7$ ,  $SO_2NR^6R^7$  and  $NR^6SO_2R^7$ ;

or

 $R^{10}$  and  $R^{11}$  together with the nitrogen atom to which they are attached can form a 3-8 membered saturated heterocylic ring optionally containing one or more atoms selected from O,  $S(O)_n$  (wherein n is 0, 1 or 2),  $NR^8$ , and itself optionally substituted by halogen or  $C_1$ - $C_3$  alkyl.

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 5 of 17

2. (Previously Presented) A compound according to claim 1 in which X is halogen, cyano, nitro,  $S(O)_nR^6$  or  $C_{1-4}$ alkyl which is substituted by one or more halogen atoms.

- 3. (Original) A compound according to claim 1 in which X is trifluoromethyl, nitro, cyano or halogen.
- 4. (Cancelled)
- 5. (Cancelled)
- 6. (Currently amended) A compound according to claim 1 in which Z is phenyl, optionally which is substituted with one or more substituents as defined in claim 1.
- 7. (Previously Presented) A compound according to claim 1 in which both  $R^1$  and  $R^2$  are hydrogen or one is hydrogen and the other is methyl or ethyl or both are methyl.
- 8. (Currently amended) A compound according to claim 1 selected from:
- {[5-Chloro-4'-(ethylthio)biphenyl-2-yl]oxy}acetic acid,
- {[5-Chloro-4'-(ethylsulfonyl)biphenyl-2-yl]oxy}acetic acid,
- [(4',5-Dichlorobiphenyl-2-yl)oxy]acetic acid,
- [(5-Chloro-4'-cyanobiphenyl-2-yl)oxy]acetic acid,
- [(5-Chloro-4'-methoxybiphenyl-2-yl)oxy]acetic acid,
- (4-Chloro-2-quinolin-8-ylphenoxy)acetic acid,
- [(5-Chloro-3',4'-dimethoxybiphenyl-2-yl)oxy]acetic acid,
- 2'-(Carboxymethoxy)-5'-chlorobiphenyl-4-carboxylic acid,
- {[5-Chloro-4'-(methylsulfonyl)biphenyl-2-yl]oxy}acetic acid,
- {[5-Chloro-4'-(ethylsulfonyl)-2'-methylbiphenyl-2-yl]oxy} acetic acid,

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 6 of 17

[(5-Cyanobiphenyl-2-yl)oxylacetic acid, [(5-Nitrobiphenyl-2-yl)oxy]acetic acid, {[4'-(Methylthio)-5-(trifluoromethyl)biphenyl-2-yl]oxy}acetic acid, {[4'-(Methylsulfonyl)-5-(trifluoromethyl)biphenyl-2-yl]oxy}acetic acid, {[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)biphenyl-2-yl]oxy}acetic acid, (4-Chloro-2-pyrimidin-5-ylphenoxy)acetic acid, {2-[5-(Aminosulfonyl)pyridin-2-yl]-4-chlorophenoxy} acetic acid, [2-(2-Aminopyrimidin-5-yl) 4-chlorophenoxy]acetic acid, trifluoroacetate salt, [4-Chloro-2-(4-methyl-2-morpholin-4-ylpyrimidin-5-yl)phenoxy]acetic acid, {4-Chloro-2-[2-(dimethylamino)pyrimidin-5-yl]phenoxy}acetic-acid, [4-Chloro-2-(2-morpholin-4-ylpyrimidin-5-yl)phenoxy]acetic acid, [4-Chloro-2-[2-(methylamino)pyrimidin-5-yl]phenoxy}acetic-acid, {2-[2-(Benzylamino)pyrimidin-5-yl]-4-chlorophenoxy}acetic acid, [4-Chloro-2-(2-piperidin-1-ylpyrimidin-5-yl)phenoxylacetic acid, (4-Chloro-2-{2-[methyl(methylsulfonyl)amino]pyrimidin-5-yl)phenoxy)acetic acid, [[2',5-Dichloro-4'-(ethylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-Chloro-4'-(ethylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxyl- acetic acid, [[5-Chloro-4'-(ethylsulfonyl)-2'-fluoro[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-(Ethylsulfonyl)-2'-fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-acetic acid, [[5-Chloro-4'-(ethylsulfonyl)-2'-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, 2-[[5-Chloro-4'-(ethylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-propanoic acid, 2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

acid,
2-[[2',5-Dichloro-4'-(ethylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,
2-[[2'-Chloro-4'-(ethylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2R)- propanoic

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 7 of 17

acetic acid,

2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-2-methylpropanoic acid, 2-[[4'-(Ethylsulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-butanoic acid, [4-Chloro-2-[2-[(methylsulfonyl)(phenylmethyl)amino]-5-pyrimidinyl]phenoxyl-acetic acid. [4-Chloro-2-[2-[(ethylsulfonyl)(phenylmethyl)amino]-5-pyrimidinyl]phenoxyl-acetic acid. [2-[Acetyl(phenylmethyl)amino]-5-pyrimidinyl]-4-chlorophenoxy]-acetic acid, [[4'-(Ethylsulfonyl)-5-fluoro-2'-methyl[1,1'-biphenyl]-2-yl]oxyl-acetic acid, [[4'-(Ethylsulfonyl)-4,5-difluoro-2'-methyl[1,1'-biphenyl]-2-yl]oxyl-acetic acid. [[4'-(Ethylsulfonyl)-3,5-difluoro-2'-methyl[1,1'-biphenyl]-2-yl]oxyl-acetic acid, [2-(2-Amino-5-methyl-3-pyridinyl)-4-(trifluoromethyl)phenoxy]-acetic acid, [[4'-Amino-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Amino-2'-chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-Chloro-4'-hydroxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid. [2-(2,4-Dimethoxy-5-pyrimidinyl)-4-(trifluoromethyl)phenoxy]-acetic acid; [[2'-Chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2',5-Bis(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[5'-Fluoro-2'-methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid. [[5'-Cyano-2'-methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Chloro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2',5'-Dimethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxyl- acetic acid. [[5'-Chloro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-Fluoro-6'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Fluoro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-[[(Ethylamino)carbonyl]amino]-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]acetic acid. [[2'-Methyl-4'-[[(methylamino)carbonyl]amino]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 8 of 17

[[4'-[[(Cyclopropylamino)carbonyl]amino]-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2yl]oxy]- acetic acid, [[2'-Methyl-4'-[[(propylamino)carbonyl]amino]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]acetic acid, [[2',4'-Dimethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[5'-Fluoro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-(Aminocarbonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3'-Fluoro-2'-methyl-5-(trifluoromethyl)[1,1'-biphcnyl]-2-yl]oxy]- acetic acid, [[2',5'-Difluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[5'-(Aminosulfonyl)-2'-chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Cyano-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Chloro-2'-fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2',5'-Difluoro-4'-methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-fluoro-5'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-Fluoro-4'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Methoxy-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-(Aminosulfonyl)-2',5'-difluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [2-Benzo[b]thien-3-yl-4-(trifluoromethyl)phenoxy]-acetic acid, [2-(2-Benzofuranyl)-4-(trifluoromethyl)phenoxy]-acetic acid; [[4'-Chloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3'-(1-Methylethyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3',4'-Difluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [2-(1,3-Benzodioxol-5-yl)-4-(trifluoromethyl)phenoxy]-acetic acid, [[4'-Ethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3'-Fluoro-5-(trifluoromethyl)[1,1':4',1"-terphenyl]-2-yl]oxy]- acetic acid, [[4'-(Trifluoromethoxy)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[2',3'-Dichloro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

[[4'-(1,1-Dimethylethyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 9 of 17

[2-(6-Methoxy-2-naphthalenyl)-4-(trifluoromethyl)phenoxyl- acetic acid. [[4'-(Ethylthio)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Acetyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [2-(2-Chloro-5-methyl-4-pyridinyl)-4-(trifluoromethyl)phenoxy]-acetic acid, [[5'-(Aminosulfonyl)-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [2-(8-Quinolinyl)-4-(trifluoromethyl)phenoxy]-acetic acid, [[3'-Cyano-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [2-[4-Methyl-6-[methyl(methylsulfonyl)amino]-3-pyridinyl]-4-(trifluoromethyl) phenoxy]acetic-acid, [[2'-Methyl-5'-(methylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, 2'-(Carboxymethoxy)-5'-(trifluoromethyl)-[1,1'-biphenyl]-3-carboxylic acid, 3-methyl ester, 2'-(Carboxymethoxy)-5'-(trifluoromethyl)-[1,1'-biphenyl]-2-carboxylic acid, 2-methyl ester, [[5-(Trifluoromethyl)[1,1':4',1"-terphenyl]-2-yl]oxy]- acetic acid, [[3'-Fluoro-2',4'-dimethyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-Nitro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[2'-Methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3'-Chloro-2'-methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[5-(Trifluoromethyl)[1,1':3',1"-terphenyl]-2-yl]oxy]- acetic acid, 2'-(Carboxymethoxy)-5'-(trifluoromethyl)-[1,1'-biphenyl]-4-carboxylic acid, 4-methyl ester, [[4'-Nitro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[5-(Trifluoromethyl)-3'-[(trifluoromethyl)thio][1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[5-(Trifluoromethyl)-4'-[(trifluoromethyl)thio][1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[4'-Fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3'-Fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [[3'-Methyl-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid, [2-(3-Pyridinyl)-4-(trifluoromethyl)phenoxy]-acetic acid, [[2'-Fluoro-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 10 of 17

```
[[2'-Methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[3'-Methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-Methoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[3'-(Ethylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[3'-Propoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-Propoxy-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[2-(2-Amino-4-methyl-5-pyrimidinyl)-4-(trifluoromethyl)phenoxy]- acetic acid,
[[4'-Cyano-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4',5-Bis(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[2-(2-Naphthalenyl)-4-(trifluoromethyl)phenoxy]- acetic acid,
[[4'-(1-Pyrrolidinylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[(Dimethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[[(Phenylmethyl)amino]sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[[(2,2,2-Trifluoroethyl)amino]sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic
acid,
[[4'-[[(5-Methyl-2-thiazolyl)amino]sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic
acid,
[[4'-[(Phenylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[(Diethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[(Cyclopropylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-(Aminosulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[(Methylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[[4'-[(4-Methyl-1-piperazinyl)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]- acetic acid,
[2-[4-Methyl-2-(5-methyl-1,1-dioxido-1,2,5-thiadiazolidin-2-yl)-5-pyrimidinyl]-4-
(trifluoromethyl)phenoxy]- acetic acid,
[2-[4-Methyl-2-[methyl(methylsulfonyl)amino]-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]-
acetic acid,
```

Applicant: Bonnert et al. Serial No.: 10/551,783 Filed: July 7, 2006 Page: 11 of 17

[2-[2-(1,1-Dioxido-2-isothiazolidinyl)-4-methyl-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]-acetic acid, ammonium salt,

[2-[2-(3-Hydroxy-1-azetidinyl)-4-methyl-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]- acetic acid,

[2-[4-Methyl-2-(4-methyl-1-piperazinyl)-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]- acetic acid,

[2-[4-Methyl-2-(1-pyrrolidinyl)-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]- acetic acid,

[2-[2-(Dimethylamino)-4-methyl-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]-acetic acid,

[2-[5-Methyl-2-[methyl(methylsulfonyl)amino]-4-pyrimidinyl]-4-(trifluoromethyl)phenoxy]-acetic-acid,

[2-[2-[[(Dimethylamino)sulfonyl]amino]-4-methyl-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]-acetic-acid,

[[2'-Chloro-4'-[(methoxycarbonyl)amino]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]acetic acid 2-[[2'-Chloro-4'-(methylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,

- 2-[[3'-Cyano-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2\$)-propanoic acid,
- 2-[[4'-[(Dimethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,
- 2-[[2'-Chloro-4'-[(dimethylamino)sulfonyl]-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,
- 2-[[2'-Fluoro-4'-(methylsulfonyl)-5-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)- propanoic acid,
- [[2',5-Dichloro-4'-(methylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,
- [[5-Chloro-4'-[(dimethylamino)sulfonyl][1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,
- [[2',5-Dichloro-4'-[(dimethylamino)sulfonyl][1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,
- [(5-Chloro-3'-cyano[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid,
- [[5-Chloro-4'-[(dimethylamino)sulfonyl]-2'-fluoro[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,
- [[5-Chloro-4'-(4-morpholinylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid,

Applicant: Bonnert et al. Attorney's Docket No.: 06275-0474US1 / RLO/101016-1P US/R&1

Serial No.: 10/551,783 Filed: July 7, 2006 Page: 12 of 17

[[5-Chloro-2'-fluoro-4'-(methylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid, 2-[[4'-(1-Azetidinylsulfonyl)-5-chloro[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid, 2-[[5-Chloro-2'-methyl-4'-(1-pyrrolidinylcarbonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid, 2-[(2',4'-Dichloro-5-cyano[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid, 2-[[5-Cyano-2'-fluoro-4'-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid, 2-[(3'-Cyano-5-fluoro[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid, sodium salt, 2-[(2',4'-Dichloro-5-fluoro[1,1'-biphenyl]-2-yl)oxy]-(2S)-propanoic acid, sodium salt, 2-[[2'-Chloro-5-fluoro-4'-(methylsulfonyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid 2-[[2'-Chloro-5-fluoro-5'-(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]-(2S)-propanoic acid, [[4'-(Ethylsulfonyl)-6-methyl-5-nitro[1,1'-biphenyl]-2-yl]oxylacetic acid, [[5-Chloro-4' (ethylsulfonyl)-6-methyl[1,1'-biphenyl]-2-yl]oxy]acetic acid, [[4'-(Methylsulfonyl)-2',5-bis(trifluoromethyl)[1,1'-biphenyl]-2-yl]oxy]acetic acid, and 2-[4-Chloro-2-[4-methyl-6-[methyl(methylsulfonyl)amino]-3-pyridinyl]phenoxy]-(2S)propanoie acid, 2-[2-[4-Methyl-2-[(methylsulfonyl)amino]-5-pyrimidinyl]-4-(trifluoromethyl)phenoxy]-(2S)propanoic acid, [(5-Chloro-3'-cyano[1,1'-biphenyl]-2-yl)oxy]- acetic acid, and pharmaceutically acceptable salts thereof.

- 9. (Cancelled)
- 10. (Cancelled)
- 11. (Cancelled)
- 12. (Currently amended) A The method according to claim 11, where in the respiratory disease is of treating asthma or rhinitis in a patient suffering from, or at risk of, asthma or rhinitis, which

Applicant : Bonnert et al.
Serial No. : 10/551,783
Filed : July 7, 2006
Page : 13 of 17

comprises administering to the patient a therapeutically effective amount of a compound of formula (I), or a pharmaceutically acceptable salt thereof, as defined in claim 1.

- 13. (Cancelled)
- 14. (Cancelled)
- 15. (Currently amended) A compound according to claim 2, in which Z is phenyl, optionally which is substituted with one or more substituents as defined in claim 1.
- 16. (Previously Presented) A compound according to claim 2, in which both  $R^1$  and  $R^2$  are hydrogen or one is hydrogen and the other is methyl or ethyl or both are methyl.
- 17. (Cancelled)
- 18. (Cancelled)
- 19. (Currently amended) A compound according to claim 3, in which Z is phenyl, optionally which is substituted with one or more substituents as defined in claim 1.
- 20. (Previously Presented) A compound according to claim 3, in which both  $R^1$  and  $R^2$  are hydrogen or one is hydrogen and the other is methyl or ethyl or both are methyl.